

# Multi-Objective Fuzzy Linear Programming In Agricultural Production Planning

H.M.I.U. Herath, Dr. D.M. Samarathunga

**Abstract:** Modern agriculture is characterized by a series of conflicting optimization criteria that obstruct the decision-making process in the planning of agricultural production. Such criteria are usually net profit, total cost, total production, etc. At the same time, the decision making process in the agricultural production planning is often conducted with data that accidentally occur in nature or that are fuzzy (not deterministic). Such data are the yields of various crops, the prices of products and raw materials, demand for the product, the available quantities of production factors such as water, labor etc. In this paper, a fuzzy multi-criteria mathematical programming model is presented. This model is applied in a region of 10 districts in Sri Lanka where paddy is cultivated under irrigated and rain fed water in the two main seasons called "Yala" and "Maha" and the optimal production plan is achieved. This study was undertaken to find out the optimal allocation of land for paddy to get a better yield while satisfying the two conflicting objectives; profit maximizing and cost minimizing subjected to the utilizing of water constraint and the demand constraint. Only the availability of land constraint is considered as a crisp in nature while objectives and other constraints are treated as fuzzy. It is observed that the MOFLP is an effective method to handle more than a single objective occurs in an uncertain, vague environment.

**Index Terms:** Multi-objective fuzzy linear programming, membership function, tolerance variables.

## 1 INTRODUCTION

THE first and most significant motivation towards the mathematical formalization of fuzziness was initiated by Lofti A. Zadeh in 1960's. Zadeh has made novel contribution with his papers for the development, propagation and application of fuzzy logic to the real world problems. Fuzzy set theory provides a strict mathematical framework in which vague concepts can be precisely studied. Its further development is in progress, with numerous attempts being made to explore the ability of fuzzy set theory to become a useful tool for mathematical analysis of real world problems. Recent applications to various scientific fields such as precision machinery, artificial intelligence, image processing, decision theory, military science, medical science, sociology, economics, psychology, biology, management science, and Expert Systems, Control Theory, Mathematics and Statistics have demonstrated that fuzzy set theory may not be a theory in search of applications, but indeed a useful tool for the expressions of professional judgments. Bellman and Zadeh [2] (1970) have focused on the concept of decision making in a fuzzy environment. They considered the classical model of a decision and suggested a model for decision making under uncertainty in which the objective function as well as the constraint(s) are fuzzy. They made the argument saying that the fuzzy objective function is characterized by its membership function, and so are the constraints. The first formulation of Fuzzy Linear Programming is proposed by Zimmermann in 1976 [3], [4.] Thereafter, many authors considered various types of the fuzzy linear programming problems and proposed several approaches for solving these problems. Zimmermann introduced fuzzy linear programming as conventional LP. He considered LP problems with a fuzzy goal and fuzzy constraints and used linear membership functions and the min operator as an aggregator for these functions. In many real

world problems determining "optimal" solutions cannot be done by using a single criterion or a single objective function. This area, multi-criteria decision making, has led to numerous evaluation schemes and to the formulation of vector-maximum problems in mathematical programming. The Multi-Objective Decision Making (MODM) problem is often called the "vector maximum" problem, and was first mentioned by Kuhn and Tucker (1951). In this paper MODM is studied in the area of Agricultural Production Planning (APP). They deal with cost and profit while utilizing the resources in order to satisfy the demand. When solving APP problems it is often assumed that the input data are deterministic/crisp. But in practice, they are usually imprecise or rather fuzzy. The difficulty of fitting accurate parameters is due to obtaining them through approximation or human observations. Therefore finding an optimal solution under this assumption may not be practical. A small violation in constraints and conditions may lead to a more efficient solution. The concept of fuzzy is adopted in such situations. Fuzzy APP allows the vagueness that exists in the determining forecasted demand and the parameters associated with cost of production, available resources such as water, labor and machinery. Fuzzy set theory increases the model realism and enhances the implementation of APP models in industry. The usefulness of fuzzy set theory also extends to multiple objective APP models where additional imprecision due to conflicting goals may enter into the problem.

## 2.0 METHODOLOGY

### 2.1 Multi-Objective optimization problem

In most of the decision making problems in real world the decision maker has to often optimize more than one conflicting objectives subject to some constraints.

In general,

$$\begin{aligned} & \text{Maximize} [Z_1(x), Z_2(x), \dots, Z_p(x)] \\ & \text{subject to} \\ & g_i(x) \leq 0 \quad i = 1, 2, \dots, q \\ & x \geq 0 \end{aligned} \quad (1)$$

Where,  $x = (x_1, x_2, \dots, x_n) \in \mathfrak{R}^n$  and  $Z_j(x)$ ,  $j = 1, 2, \dots, p$  are objective functions. Equation (1) represents a Mathematical

- H.M.I.U. Herath, Department of Mathematics, Faculty of Science, University of Peradeniya.
- Dr. D.M. Samarathunga, Department of Mathematics, Faculty of Science, University of Matara.

model of a multi objective optimization problem with  $p$  number of objectives to be maximized subject to  $q$  number of constraints. In real world problems most of the times there can be objectives to be maximized as well as to be minimized.

**2.2 Fuzzy approach**

Fuzzy logic (FL) is a mathematical technique for dealing with imprecise data and problems that have many solutions rather than one. Fuzzy logic enables approximate human reasoning capabilities to be applied to knowledge-based systems and provides a mathematical strength to capture the uncertainties associated with human cognitive processes, such as thinking and reasoning.

**2.3 Fuzzy set theory**

It was specifically designed to represent uncertainty and vagueness mathematically and to provide formalized tools for dealing with the imprecision intrinsic to many problems. Informally, a set is known as **fuzzy** if the existence or the belongingness of an element to the set is not certain. A formal definition is given as follows:

**Definition 1**

Let  $X$  be a nonempty set. A fuzzy set  $A$  in  $X$  is characterized by its membership function  $\mu_A(x): X \rightarrow [0,1]$  and  $\mu_A(x)$  is interpreted as the degree of membership of element  $x$  in fuzzy set  $A$  for each  $x \in X$ . Then a fuzzy set  $A$  in  $X$  is a set of ordered pairs:  $A = \{(x, \mu_A(x)) : x \in X\}$


The range of the membership function is  $[0,1]$  and the value zero is used to represent complete non-membership, the value one is used to represent complete membership, and values in between are used to represent intermediate degrees of membership.

**2.4 Types of membership functions**


The selection of a suitable membership function for a fuzzy set is one of the most important activities in fuzzy logic. It is the responsibility of the user to select a function that is a best representation for the fuzzy concept to be modeled. The most commonly used membership functions are the following (Dubois and Prade, 1980; Zimmermann, 1996):

- linear membership function
- triangular membership function
- trapezoid membership function
- sigmoid membership function
- $\square$ -type membership function
- Gaussian membership function


The monotonically increasing linear membership function (figure 1) is given by




The monotonically decreasing linear membership function (figure 2) is given by



The triangular membership function (figure 3) is given by



The trapezoid membership function (figure 4) is given by



**2.6 Fuzzy linear Programming**

In Bellman and Zadeh's approach of fuzzy LP the goals and the constraints are represented by fuzzy sets and then aggregate them in order to derive a maximizing decision. In contrast to classical Linear Programming, Fuzzy Linear Programming is not uniquely defined in which many variations are acceptable. Consider the following classical LP model

$$\begin{aligned} \max Z(x) &= C^T x \\ \text{s.t.} & \\ Ax^T &\leq b \\ x &\geq 0 \end{aligned} \tag{2}$$

Where,  $C, x \in \mathbb{R}^n, b \in \mathbb{R}^m$  and  $A \in \mathbb{R}^{m \times n}$ .

Now make the Assumptions that,

- All coefficients of  $A, b$  and  $C$  are real (crisp) numbers and  $\leq$  is meant in a crisp sense.
- Any violation of any single constraint renders the solution infeasible.
- All constraints are of equal importance (weights).

In fact, these are rather unrealistic assumptions which are partly relaxed in fuzzy LP space. Now, if LP decision has to be made in a fuzzy environment the decision maker might rather want to reach some aspiration levels instead of maximizing the objective function. These aspiration levels

may not be even defined crisply and the constraints may also be vague and  $\leq$  sign might not be meant in the strictly mathematical sense but small violations are acceptable. Also, the coefficients of the vectors  $b$  or  $C$  or matrix  $A$  itself can contain a fuzzy characters because they are fuzzy in nature. Moreover, the constraints might be of different importance or possible violations of different constraint may be acceptable in different degrees.

### 7.0 Multi-objective Fuzzy Linear Programming

The problem of finding an optimal solution in a fuzzy environment becomes more complicated if several objective functions exist. This leads to the area of multi-criteria fuzzy programming analysis. This area has grown very much since the 1970s. Many approaches have been suggested to solve problems with several objective functions. In all these approaches, objective functions were considered to be real valued and the actions as crisply defined. In general, a multi objective optimization problem with  $k$  objectives to be maximized and  $m$  objectives to be minimized subject to  $p$  constraints with  $n$  decision variables is as follows:

$$\begin{aligned} & \max_k Z_k(x) \\ & \min_m Z_m(x) \\ & \text{s.t.} \\ & g_i(x) \leq b_i \quad i=1,2,\dots,p \\ & x \geq 0 \end{aligned} \tag{3}$$

Where,  $x = (x_1, x_2, \dots, x_n) \in \mathfrak{R}^n$ ,  $Z_k(x)$  and  $Z_m(x)$  are objective functions. If all the objective functions and constraints of above model are fuzzy then its fuzzy model can be rewritten as:

$$\begin{aligned} & Z_k(x) \gtrsim Z_k^0 \\ & Z_m(x) \lesssim Z_m^0 \\ & \text{s.t.} \\ & g_i(x) \lesssim b_i \quad i=1,2,\dots,p \\ & x \geq 0 \end{aligned} \tag{4}$$

Where,  $Z_k^0$  and  $Z_m^0$  are the aspiration levels of the goals. Then the fuzzy set decision  $D$  is then defined as,

$$\mu_D(x) = \min_{k,m,i} [\mu_{Z_k}(x), \mu_{Z_m}(x), \mu_{g_i}(x)] \tag{5}$$

Where,  $\mu_{Z_k}(x)$  and  $\mu_{Z_m}(x)$  are the membership functions of the objectives and  $\mu_{g_i}(x)$  is the membership function of the constraints. Then the optimal decision is the solution which can maximize the minimum attainable aspiration levels. Therefore the optimal solution is given by,

$$\max_{x \geq 0} \min_{k,m,i} [\mu_{Z_k}(x), \mu_{Z_m}(x), \mu_{g_i}(x)] = \max_{x \geq 0} \mu_D(x) \tag{6}$$

By applying a suitable membership function the optimal solution can be obtained. In this paper linear membership function is adopted. So the model can be modified as follows: Let  $t_k, t_m, t_i$  for  $i=1,2,\dots,p$  be the subjectively chosen constants of admissible violation of the objective function and constraints respectively. Then the membership function for the objective is given by

$$\mu_{Z_k}(x) = \begin{cases} 1 & \text{if } Z_k(x) \geq Z_k^0 \\ \frac{Z_k(x) - (Z_k^0 - t_k)}{t_k} & \text{if } Z_k^0 - t_k \leq Z_k(x) \leq Z_k^0 \\ 0 & \text{if } Z_k(x) \leq Z_k^0 - t_k \end{cases} \tag{7}$$

$$\mu_{Z_m}(x) = \begin{cases} 1 & \text{if } Z_m(x) \leq Z_m^0 \\ \frac{(Z_m^0 + t_m) - Z_m(x)}{t_m} & \text{if } Z_m^0 \leq Z_m(x) \leq Z_m^0 + t_m \\ 0 & \text{if } Z_m(x) \geq Z_m^0 + t_m \end{cases} \tag{8}$$

The membership function for the  $i^{th}$  constraint is given by

$$\mu_{g_i}(x) = \begin{cases} 1 & \text{if } g_i(x) \leq b_i \\ \frac{(b_i + t_i) - g_i(x)}{t_i} & \text{if } b_i \leq g_i(x) \leq b_i + t_i \\ 0 & \text{if } g_i(x) \geq b_i + t_i \end{cases} \tag{9}$$

Introducing  $\lambda$  as  $\lambda = \min_{k,m,i} [\mu_{Z_k}(x), \mu_{Z_m}(x), \mu_{g_i}(x)]$  then the crisp equivalent of the MOFLP model is:

$$\begin{aligned} & \max \lambda \\ & \text{s.t.} \\ & Z_k(x) - \lambda t_k \geq Z_k^0 - t_k \\ & Z_m(x) + \lambda t_m \leq Z_m^0 + t_m \\ & g_i(x) + \lambda t_i \leq b_i + t_i \quad \text{for } i=1,2,\dots,p \\ & x \geq 0 \end{aligned} \tag{10}$$

If the solution of (10) is the vector  $(\lambda^*, x^*)$  then  $x^*$  is considered as the best compromise solution and  $\lambda^*$  is interpreted as the degree of reality (or achievability of  $x^*$ ).

### 2.8 Degree of satisfaction ( $\lambda$ )

$\lambda$ , represented in the above model (10) is known as the degree of satisfaction or degree of achievability of  $x^*$ . It is the minimum attainable level in the fuzzy system. The upper and the lower bounds of  $\lambda$  reflect two extreme scenarios in the system. The upper bound  $\lambda=1$  indicates that all the goals have been completely satisfied and therefore represents a no conflict occurs among them. The lower bound  $\lambda=0$  indicates that at least one goal has a zero satisfaction level and therefore represents a conflict scenario. Any intermediate value between 0 and 1 represents the level of satisfaction in the system. The multi objective fuzzy linear programming aims at achieving a fair compromise solution by increasing the degree of satisfaction  $\lambda$  in the system.

### 2.9 Computational algorithm

The solution procedure of Multi-Objective Fuzzy Linear Programming can be briefly stated as follows:

- 1) Solve the very first LPP using linear programming techniques taking one objective function with constraints at a time while ignoring the other probabilistic cases.
- 2) Using the solution obtained in step1, find the corresponding value of all the objective functions for each of solutions.

- 3) From step 2, obtain the lower and upper bounds and for each objective functions and construct a table of positive ideal solutions
- 4) Formulate the linear membership functions for each fuzzy goal.
- 5) Formulate the crisp equivalent of the fuzzy Linear Programming model.
- 6) Obtain the compromise solution with highest degree of satisfaction.

### 3.0 AGRICULTURAL PRODUCTION PLANNING

#### 3.1 General model formulation

The decision variables are defined as follows  $x_{ijkl}$  = The area of land cultivated extent in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$

$i$  = Index for the district  $i \in \{1, 2, \dots, I\}$

$j$  = Index for the season  $j \in \{1, 2, \dots, J\}$

$k$  = Index for the water regime  $k \in \{1, 2, \dots, K\}$

$l$  = Index for the variety of paddy  $l \in \{1, 2, \dots, R\}$

3 conflicting objective functions and the constraints are expressed as follows:

#### Objectives / Goals

- 1) Minimize the cost of production
  - i) Labor
  - ii) Material – seeds, fertilizer
  - iii) Power - machinery
- 2) Maximize the yield
- 3) Maximize the profit

#### Constraints

- 1) Land
- 2) Water
- 3) Labor
- 4) Machine
- 5) Demand

Let the parameters be defined as follows:

$C_{ijkl}$  = Cost of production (labor, material, power) per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$Y_{ijkl}$  = Amount of average yield produced per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$P_{ijkl}$  = Profit gained per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$a_{ijkl}$  = Lower bound for the decision variable.

$b_{ijkl}$  = Total cultivable land in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$w_{ijkl}$  = Water requirement per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$W_{ijk}$  = Amount of water available for agriculture purpose in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$L_{ijkl}$  = Labor hours required per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$TL_i$  = Total labor hours available in district  $i$ .

$m_{ijk}$  = Machine hours required per unit area in district  $i$  in season  $j$  under water regime  $k$  of variety of paddy  $l$ .

$M_i$  = Total machine hours available in district  $i$ .

$TP$  = Total production target.

$d_l$  = Demand for each variety.

3 conflicting objective functions and the constraints are expressed as follows:

**Table 01: Objective functions**

1) Minimize the cost of production	$\min Z_1 = \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R C_{ijkl} x_{ijkl} \quad (11)$
2) Maximize the yield	$\max Z_2 = \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R Y_{ijkl} x_{ijkl} \quad (12)$
3) Maximize the profit	$\max Z_3 = \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R P_{ijkl} x_{ijkl} \quad (13)$

**Table 02: Constraints**

1) Cultivable land	$a_{ijkl} \lesssim x_{ijkl} \lesssim b_{ijkl} \quad (14)$
2) Water requirement	$\sum_{i=1}^R w_{ijkl} x_{ijkl} \lesssim W_{ijk} \quad \forall i, j, k \quad (15)$
3) Labor requirement	$\sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R L_{ijkl} x_{ijkl} \lesssim TL_i \quad \forall i \quad (16)$
4) Machine requirement	$\sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R m_{ijkl} x_{ijkl} \lesssim M_i \quad \forall i \quad (17)$
5) Total production target	$\sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R Y_{ijkl} x_{ijkl} \lesssim TP \quad (18)$
6) Demand for each variety	$\sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K Y_{ijkl} x_{ijkl} \lesssim d_l \quad \forall l \quad (19)$
7) Non negativity	$x_{ijkl} \geq 0 \quad \forall i, j, k, l \quad (20)$

### 3.2 Method of solving

Using the procedure mentioned previously by solving the MOLPP taking one objective at a time upper and lower bounds for each objective can be found. Now let the aspiration levels of the goals cost, production, and profit obtained from the above method, be  $Z_C, Z_Y$  and  $Z_P$  respectively. Further the tolerance levels of these objectives can also be found as  $t_C, t_Y$  and  $t_P$ . Also assign the tolerance levels for other constraints as follows:

**Table 03:** Tolerance levels assigned for the constraints

Constraint	Tolerance
Land	$t_{a_{ijkl}}$ and $t_{b_{ijkl}} \forall i, j, k, l$
Water	$t_{W_{ijk}} \forall i, j, k$
Labor	$t_{TL_i} \forall i$
Machine	$t_{M_i} \forall i$
Total production target	$t_{TP}$
Demand for each variety	$t_{d_l}$

Then the crisp equivalent of the fuzzy LP is given by,  
 $\max \lambda$

$$\begin{aligned}
 & s.t. \\
 & \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R C_{ijkl} x_{ijkl} + \lambda t_C \leq Z_C + t_C \\
 & \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R Y_{ijkl} x_{ijkl} - \lambda t_Y \geq Z_Y - t_Y \\
 & \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R P_{ijkl} x_{ijkl} - \lambda t_P \geq Z_P - t_P \\
 & \sum_{l=1}^R x_{ijkl} + \lambda t_{a_{ijk}} \leq a_{ijk} + t_{a_{ijk}} \forall i, j, k \\
 & \sum_{l=1}^R x_{ijkl} + \lambda t_{W_{ijk}} \leq W_{ijk} + t_{W_{ijk}} \forall i, j, k \\
 & \sum_{i=1}^I \sum_{k=1}^K \sum_{l=1}^R L_{ijkl} x_{ijkl} + \lambda t_{L_i} \leq TL_i + t_{L_i} \forall i \\
 & \sum_{i=1}^I \sum_{k=1}^K \sum_{l=1}^R m_{ijkl} x_{ijkl} + \lambda t_{M_i} \leq M_i + t_{M_i} \forall i \\
 & \sum_{i=1}^I \sum_{j=1}^J \sum_{k=1}^K \sum_{l=1}^R Y_{ijkl} x_{ijkl} - \lambda t_{TP} \geq TP - t_{TP} \\
 & \sum_{i=1}^I \sum_{k=1}^K \sum_{l=1}^R Y_{ijkl} x_{ijkl} - \lambda t_{d_l} \geq d_l - t_{d_l} \forall l \\
 & x_{ijkl} \geq 0 \forall i, j, k, l \\
 & 0 \leq \lambda \leq 1
 \end{aligned}
 \tag{21}$$

This can be easily solved using linear programming techniques.

### 3.3 Case study Paddy cultivation in Sri Lanka

Rice is the staple food for more than half of the human population, and in Asia alone more than 2 billion people depend on rice and its products for their food intake. Rice is the single most important crop occupying 34 percent (0.77 million ha) of the total cultivated area in Sri Lanka. On average 560,000 ha are cultivated during Maha and 310,000 ha during Yala making the average annual extent sown with rice to about 870,000 ha. About 1.8 million farm families are engaged in paddy cultivation island-wide. It has become deeply embedded in the cultural heritage of Sri Lankan society. In Sri Lanka paddy is cultivated under 2 seasons namely Yala and Maha. Maha season falls from October to March while Yala season falls from April to September. In each season paddy cultivation is done under 2 water regimes called irrigation and rain fed. As a result of population growth there is a need of more production to satisfy the ever increasing demand. To feed these more consumers production of paddy must be increased. This effort must be carried out against a backdrop of decreasing available arable land, increasing competition for water, labor hours, machine hours and a growing concern for environmental protection and conservation. In the present study optimal land allocation for paddy is described. A general model is presented for the production of paddy and method of solving is explained through multi-objective fuzzy linear programming. To solve the MOFLPP linear membership function is considered. Here, all the objective functions and constraints are treated as fuzzy except for the land constraint. For the case study paddy cultivation in 10 districts (Ampara, Anuradhapura, Hambantota, Kurunegala, Mannar, Polonnaruwa, Trincomalee, Gampaha, Kalutara, Kandy) is considered under some assumptions. The case study is presented by the data obtained from the Department of Agriculture (Cost of cultivation 2012 Yala and Maha)



**Fig 8 –** Location map of districts under study

According to the data obtained from the Department of agriculture following model can be formulated.

#### Decision variable

$x_{ijk}$  = The area of land cultivated extent in district  $i$  in season  $j$  under water regime  $k$ .

#### Goals



- 1) Minimize the cost of production
  - i) Labor
  - ii) Material- seeds, fertilizer
  - iii) Power- machinery
- 2) Maximize the profit

**Constraints**

- 1) Land
- 2) Water
- 3) Demand

**Table 04:** Information about decision variables in the case study

i	District	j	Season	k	Water regime
1	Ampara	1	Yala	1	Irrigation
2	Anuradhapura	2	Maha	2	Rain fed
3	Hambanthota				
4	Kurunegala				
5	Mannar				
6	Polonnaruwa				
7	Trincomalee				
8	Gampaha				
9	Kalutara				
10	Kandy				

**Table 05:** Data per hectare

	District	Cost(Rs./ha)		Profit(Rs./ha)	
		Yala	Maha	Yala	Maha
Irrigation	Ampara	152703.14	148832.23	110177.94	91574.64
	Anuradhapura	83372.34	81080.04	61368.53	53433.16
	Hambanthota	86871.82	84400.36	73547.1	68318.35
	Kurunegala	80523.24	78580.58	42507.41	51274.29
	Mannar	93556.47	98571.92	69883.77	82141.82
	Polonnaruwa	84364.57	79809.55	61863.15	61058.82
	Trincomalee	96338.42	93718.09	46240.76	19107.39
Rain fed	Gampaha	81337.91	80772.45	18598.77	21751.83
	Kalutara	82222.13	77033.34	-801.44	5937.93
	Kandy	89835.43	86200.52	-359.95	-11149.79
	Kurunegala	77595.5	73502.62	14968.8	25649.91

**Table 06:** Data per hectare

	District	Yield(kg/ha)		Water(m <sup>3</sup> /ha)	
		Yala	Maha	Yala	Maha
Irrigation	Ampara	10041	9703	5952	5952
	Anuradhapura	5682	5761	5952	5952
	Hambanthota	6692	6815	5952	5952
	Kurunegala	5153	5369	5548	5252
	Mannar	6913	7028	5952	5252
	Polonnaruwa	5678	6175	5952	5252
	Trincomalee	7064	6395	5952	5548
Rain fed	Gampaha	3349	3341	5952	5252
	Kalutara	2762	2860	5952	5252
	Kandy	3077	2783	5952	5252
	Kurunegala	3494	3470	5548	5548

**Table 07:** Data of available resources

	District	Available water(m <sup>3</sup> )	
		Yala	Maha
Irrigation	Ampara	1317095871	1317095871
	Anuradhapura	550321623	550321623
	Hambanthota	136829849	156829849
	Kurunegala	158586944	218586944
	Mannar	15003002	16003002
	Polonnaruwa	434822084	434822084
	Trincomalee	96421506	136421506
Rain fed	Gampaha	183940370	183940370
	Kalutara	372355099	372355099
	Kandy	96605786	96605786
	Kurunegala	621948083	621948083

**Table 08:** Data of available resources

	District	Lower bound for cultivable land (ha)		Total cultivable land (ha)	
		Yala	Maha	Yala	Maha
Irrigation	Ampara	4100	4300	48202	48202
	Anuradhapura	5500	5500	77996	77996
	Hambanthota	3750	3575	19087	19087
	Kurunegala	10000	10000	35789	35789
	Mannar	750	750	11162	11162
	Polonnaruwa	2500	3000	60887	60887
	Trincomalee	2500	2500	22901	22901
Rain fed	Gampaha	1331	6290	9179	9179
	Kalutara	6107	11942	13795	13795
	Kandy	497	3619	6991	6991
	Kurunegala	5000	5000	23897	23897

Total demand for paddy in these 10 districts is 1099244768kg. Using this information mathematical model can be formed.

**4.0 RESULTS AND DISCUSSION**

Using the procedure mentioned in the algorithm following solutions can be obtained by solving the LP by taking one objective at a time.

**Table 09:** Solution obtained by individual optimization

		Minimize cost	Maximize profit
Total cost(Rs)		16,321,893,649.01	56,968,716,134.03
Total profit(Rs)		9,923,240,370.41	34,882,583,647.94
Demand(kg)		1099244768	3756222195
Districts		Cultivated extent	
		Yala (ha)	Maha (ha)
Irrigation	Ampara	4100	4300
	Anuradhapura	5500	5500
	Hambanthota	19087	19087
	Kurunegala	10000	10000
	Mannar	2521	750
	Polonnaruwa	2500	60887
	Trincomalee	5464	2500
	Rain fed	Gampaha	1331
Kalutara		6107	11942
Kandy		497	3619
Kurunegala		5000	5000

Now identify the upper and lower bounds for each of the objectives from the solutions obtained when solving the LP by taking one objective at a time. From these bounds tolerance values of the cost objective and profit objective can be found.

Tolerance for cost objective = 56,968,716,134.03 - 16,321,893,649.01 = 40,646,822,485.01

Tolerance for profit objective = 34,882,583,647.94 - 9,923,240,370.41 = 24,959,343,277.53

Also, following values are assigned for the tolerance of other fuzzy constraints. Here the land constraint is considered as a crisp one.

Table 11: Tolerance values for water constraints

District		Yala	Maha
Irrigation	Ampara	2,000,000	6,000,000
	Anuradhapura	5,000,000	1,500,000
	Hambanthota	4,830,000	250,000
	Kurunegala	800,000	850,000
	Mannar	500,000	450,000
	Polonnaruwa	950,000	1,050,000
	Trincomalee	1,050,000	250,000
Rain fed	Gampaha	500,000	800,000
	Kalutara	650,000	850,000
	Kandy	400,000	450,000
	Kurunegala	300,000	600,000

Table 12: Tolerance value for demand constraint

	Target	Tolerance
Demand(kg)	1099244768	56857488

Using these values crisp equivalent of the fuzzy LP can be formulated and then solved using any method used to solve LP models. Now by using the method of Fuzzy multi-objective linear programming a compromise solution is obtained as follows.

Table 13: Compromise solution for the fuzzy LP

District		Cultivated extent(ha)	
		Yala	Maha
Irrigation	Ampara	48202	27511
	Anuradhapura	5500	5500
	Hambanthota	3750	3575
	Kurunegala	10000	10000
	Mannar	750	2764
	Polonnaruwa	2500	3000
	Trincomalee	2500	2500
	Rain fed	Gampaha	1331
Kalutara		6107	11942
Kandy		497	3619
Kurunegala		5000	5000

Final answer for cost, profit objectives and demand constraint can be stated as follows:

Cost objective = Rs. 22,023,946,784.83

Profit objective = Rs. 9,923,240,370.41

Demand constraint = 1249143590 kg

The overall  $\lambda$  value is zero as some of the membership function values are zero. In the compromise solution it can be seen that in some of the districts almost all the available land is cultivated while in some of them the answer is just the lower bound. By computing the value of the membership function for each fuzzy objectives and constraints a clear idea can be obtained about how much they are satisfied.

Table 14: Membership values for the objectives and constraints

Objective/Constraint	Membership value
Cost objective	0.86
Profit objective	0
Demand constraint	1

Table 15: Membership values for the water constraints

District		Yala	Maha
Irrigation	Ampara	1	1
	Anuradhapura	1	1
	Hambanthota	1	1
	Kurunegala	1	1
	Mannar	1	0
	Polonnaruwa	1	1
	Trincomalee	1	1
Rain fed	Gampaha	1	1
	Kalutara	1	1
	Kandy	1	1
	Kurunegala	1	1

Membership value for cost objective is 0.86. That means the objective is satisfied 86%. As in the problem the government would like to spend Rs.16,321,893,649.01 for paddy production in a year. But the answer shows that the total production cost is Rs.22,023,946,784.83. that is the

government has to pay an additional cost of Rs.5,702,053,135. The membership value for the demand constraint is 1. That means these districts will produce paddy to meet the country's demand and according to the solution, there is even an excess of production. Table no 14 and 15 give the values for the membership function of each fuzzy constraint and objective. In all the districts for both seasons (accept Mannar in Maha season) the membership function value of water constraint is 1, which means that the available water has been sufficient for the cultivation. That is, no more additional water is expected in these districts. But in Mannar Maha season the constraint take the value of its upper bound in the compromise solution and therefore results with zero membership value. In other words all the available water and the additional water (tolerance level) is also used to produce enough yield in order to meet the country's demand for rice.

## 5.0 CONCLUSION

Here, the tolerance values assigned for the fuzzy constraints can be modified according to the decision maker's preference. That can be done by paying attention on the membership values of the fuzzy constraints/objectives in order to obtain an improved satisfactory solution. In this particular case study, it is important to consider the production cost and the availability of water for agricultural purposes in Mannar district in Maha season as the solution result zero value for the membership functions. So Multi Objective Fuzzy Linear Programming is a more suitable approach to tackle vagueness in planning multiple objectives. It offers a powerful means of handling optimization problems with fuzzy parameters. Since the agricultural problems always come with fuzzy environment MOFLP is a better technique to get a more effective solution. Also it can be noted that by changing the type of the membership function more effective solution can be obtained.

## 6.0 ACKNOWLEDGMENT

The author wish to thank Dr. D. M. Samarathunga for his supervision and guidance and members of Census and Statistics section, Department of Agriculture, Sri Lanka.

## 7.0 REFERENCES

- [1] Department of Agriculture- Cost of cultivation of agricultural crops 2012 Yala and 2011/12 Maha.
- [2] R.E. Bellman, L. A. Zadeh, Decision making in a fuzzy environment, *Management Science* 17(1970), B141-164.
- [3] H.-J. Zimmermann *Fuzzy Set Theory and Its Applications* Fourth Edition Springer Science + Business Media, LLC
- [4] H.-J. ZIMMERMANN *INFORMATION SCIENCES* 36,29-58 (1985) 29 Applications of Fuzzy Set theory to Mathematical Programming
- [5] Dinesh K. SHARMA, R. K. JANA and Avinash GAUR *Yugoslav Journal of Operations Research* 17 (2007), Number 1, 31-42
- [6] Mostafa Mardani, Alireza Keikha *International Journal of Agronomy and Plant Production*. Vol., 4 (12), 3419-3424, 2013.
- [7] S. K. Bharati, S. R. Singh *International Journal of Computer Applications* (0975 – 8887) Volume 89– No.6, March 2014
- [8] Mohammed Mekidiche, Mostefa Belmokaddem and Zakaria Djemmaa *I.J. Intelligent Systems and Applications*, 2013, 04, 20-29
- [9] I. Elamvazuthi, T. Ganesan, P. Vasant and J. F. Webb (IJCSIS) *International Journal of Computer Science and Information Security*, Vol. 6, No. 3, 2009
- [10] Anjeli Garg, Shiva Raj Singh Department of Mathematics, Banaras Hindu University, VARANASI-221005, INDIA
- [11] S.A. Mohaddes and Mohd. Ghazali Mohayidin *Agricultural American-Eurasian J. Agric. & Environ. Sci.*, 3 (4): 636-648, 2008 ISSN 1818-6769
- [12] Thomas BOURNARIS, Jason PAPATHANASIOU, Christina MOULOGIANNI, Basil MANOS *NEW MEDIT N.* 4/2009
- [13] A B Mirajkar and P L Patel *Proceedings of the 10th Intl. Conf.on Hydro science & Engineering*, Nov. 4-7, 2012, Orlando, Florida, U.S.A.
- [14] Ritika Chopra<sup>1</sup>, Ratnesh R. Saxena *American Journal of Operations Research*, 2013, 3, 65-69
- [15] Amit Kumar, Jagdeep Kaur and Pushpinder Singh *International Journal of Applied Mathematics and Computer Sciences* 6:1 2010
- [16] C. Stanculescu, Ph. Fortemps, M. Install\_e, V. Wertz *European Journal of Operational Research* 149 (2003) 654–675
- [17] Salah R. Agha, Latifa G. Nofal, Hana A. Nassar, Rania Y. Shehada *Management* 2012, 2(4): 96-105 DOI: 10.5923/j.mm.20120204.03
- [18] M. R. SAFI, H. R. MALEKI AND E. ZAEIMAZAD *Iranian Journal of Fuzzy Systems* Vol. 4, No. 2, (2007) pp. 31-45
- [19] Sreekumar and S. S. Mahapatra *African Journal of Business Management* Vol.3 (4), pp. 168-177, April, 2009
- [20] S. K. Bharati and S. R. Singh *International Journal of Modeling and Optimization*, Vol. 4, No. 1, February 2014
- [21] Waiel F. Abd El-Wahed, Sang M. Lee *Omega* 34 (2006) 158 – 166
- [22] Yueh-Li Chen, Long-Hui Chen, and Chien-Yu Huang ISSN 1943-670X *INTERNATIONAL JOURNAL OF INDUSTRIAL ENGINEERING*



- [23] PANDIAN, M. VASANT, NAGARAJAN, R. & SAZALI  
YAACOB Jurnal Teknologi, 37(D) Dis. 2002: 31–44